The **hamnosys** package[*]

Marc Schulder

Thomas Hanke

8 February 2022

Contents

---

[*]This document corresponds to **hamnosys** v1.0.3, dated 2022/02/08. An archival copy can be found at https://doi.org/10.25592/uhhfdm.9901.

1 Introduction

The Hamburg Notation System, HamNoSys for short, is a system for the phonetic transcription of signed languages. It was originally introduced in 1984 and the first public version followed in 1987 (Prillwitz et al., 1987; Prillwitz et al., 1989). The latest release of HamNoSys is version 4.1 (Schmaling and Hanke, 2001). For a brief introduction into the structure of HamNoSys see Hanke (2004).

The TeX package *hamnosys* enables the use of HamNoSys symbols in TeX documents. It provides three methods of entering HamNoSys symbols:

1. direct input of symbols as Unicode characters in the TeX file, just like one would enter regular characters (see Section 2).

2. using TeX commands that have been defined for each individual symbol (see Section 3),

3. listing names of symbols inside the command `\hamnosys` (see Section 4).

This document describes the technical requirements (Section 1.1), how to install the package (Section 1.2), how to use the TeX file (Section 1.3), the licence conditions of the package (Section 1.4), the three usage methods (Sections 2, 3 and 4), and provides an overview of all HamNoSys symbols (Section 5).

1.1 Requirements

This package requires the use of XeLaTeX or LuaLaTeX. It unfortunately does not work with regular LaTeX (i.e. the compilers `latex` and `pdfLatex`) as it needs to import an external unicode font.

1.2 Installation

The source code of the *hamnosys* package can be found on CTAN[1] and on GitHub[2]. It is also archived via the research data repository of Universität Hamburg.[3]

As the *hamnosys* package is a fairly new package, it might not yet be part of your TeX installation. If possible, update your installation using the package manager of your TeX distribution. If that is not an option, you can also manually integrate the package into individual LaTeX projects. To do this you download the repository from GitHub and copy the files `hamnosys.sty` and `HamNoSysUnicode.ttf` into the main directory of your LaTeX project.

To also be able to use HamNoSys elsewhere on your computer (see Section 2.3), it is recommended to install the font through your operating system as well. It is available online as part of the HamNoSys software package.[4] In addition to the font file (Mac/Linux/Windows/Web), the archive also includes an application for writing HamNoSys via an input palette (Mac/Linux/Windows) and a HamNoSys keyboard layout (Mac only). The input palette is also available as a web interface[5] and as part of the corpus software iLex[6].

---

[1]https://www.ctan.org/pkg/hamnosys
[2]https://github.com/DGS-Korpus/HamNoSys4TeX
[3]TeX package *hamnosys* (latest version): https://doi.org/10.25592/uhhfdm.9643
[4]HamNoSys software package (latest version): https://doi.org/10.25592/uhhfdm.9724
[5]https://www.sign-lang.uni-hamburg.de/hamnosys/input/
[6]https://www.sign-lang.uni-hamburg.de/ilex/

1.3 Usage

The package can be imported normally via \usepackage{hamnosys}. It has a single optional parameter, *autofont*, which automates switching to the HamNoSys font when entering HamNoSys symbols as Unicode characters. (siehe Section 2.2).

HamNoSys is displayed through the special font *HamNoSysUnicode*. To input HamNoSys symbols as regular Unicode characters in your document, you need to switch to this font by using the command \texthamnosys{} or the switch command \hamnosysfont (see Section 2.1).

Alternatively you can enter HamNoSys symbols via invidual commands (Section 3) or enter their names inside the command \hamnosys{} (Section 4). For an overview of all HamNoSys symbols, their names and the commands with which they can be generated, see Section 5.

1.4 Licence

Copyright © 1986–2022 Universität Hamburg. Permission is granted to copy, distribute and/or modify this software under the terms of the LaTeX Project Public License, version 1.3c or later.[7]

The HamNoSysUnicode 4.0 TrueType font may also be obtained under a Creative Commons Attribution 4.0 International licence as part of the *HamNoSys software package* (see Footnote 4).

2 HamNoSys using character input

HamNoSys symbols can be entered directly into a TeX document like any other character. This allows you to copy-paste them from other programs or to enter them as direct input via HamNoSys keyboard layouts.

HamNoSys is displayed via a special font. You therefore need to either actively switch between regular fonts and the HamNoSys font (Section 2.1) or activate the package option *autofont* (Section 2.2).

2.1 Activating the HamNoSys font

\texthamnosys To explicitly tell LaTeX that content should be displayed using the HamNoSys
\hamnosysfont font, you can use the command \texthamnosys{} or the switch command \hamnosysfont. These behave like e. g. the italics commands \textit{} and \itshape do, respectively.

```
You can use \texthamnosys{ꝺꞃ꜀ꞁ•)([→↦꜀]} to sign Hamburg.
```

or

```
You can use {\hamnosysfont ꝺꞃ꜀ꞁ•)([→↦꜀]} to sign Hamburg}.
```

Output: *You can use ꝺꞃ꜀ꞁ•)([→↦꜀] to sign Hamburg.*

---

[7] https://www.latex-project.org/lppl.txt

Warning: The HamNoSys font knows *only* HamNoSys symbols, but no other characters. Therefore you have to be careful to switch back to the regular font after using it. The easiest way to do so is to always put HamNoSys symbols inside the `\texthamnosys{}` command. If you use `\hamnosysfont`, it is best to limit its scope by using curly braces (see above). The following example shows display issues that follow from not limiting the scope of the font:

```
You can use \hamnosysfont ⲧ⌐ᴗᴖ•⁾⁽[⁺⤳‾⤸] to sign Hamburg.
```

Output: *You can use ⲧ⌐ᴗᴖ•⁾⁽[⁺⤳‾⤸] ▮▮ ▮▮▮▮ ▮▮▮▮▮▮.*

2.2   The package option *autofont*

An alternative to explicitly activating the HamNoSys font is the optional package parameter *autofont*, which activates automatic switching between regular and HamNoSys fonts. This makes the use of `\hamnosysfont` and `\texthamnosys{}` unnecessary in many cases. *autofont* is available in XeLaTeX, but not in LuaLaTeX.

An important limitation is that *autofont* only recognises those characters as HamNoSys symbols that are not also used in regular texts. It works for almost all HamNoSys symbols, except for those listed in Section 5.11, which will be displayed using the regular document font unless you have activated the HamNoSys font explicitly. The following example shows such a case. Note that the curly braces and the vertical bar are displayed thinner in the regular font than in the HamNoSys font:

```
...
\usepackage[autofont]{hamnosys}
\begin{document}

Compare the braces and bar in
\{◁|◌\}
with those in
\texthamnosys{\{◁|◌\}}.

\end{document}
```

Output: *Compare the braces and bar in {◁|◌} with those in {◁|◌}.*

The technical reason for this behaviour is that *autofont* takes advantage of the fact that almost all characters of the HamNoSys font are located in *Private Use Area* of Unicode. This is a group of characters that the Unicode Consortium intentionally provides no meanings for, reserving them instead for use by special use cases that are not covered by Unicode, such as HamNoSys. *autofont* uses the XeLaTeX package *ucharclasses* to define commands that automatically switch fonts for all characters in the *Private Use Area*. However, there is a small number of characters relevant to HamNoSys that are located in the regular areas of Unicode, e.g. the question mark and curly braces. As these lie outside of the *Private Use Area* *autofont* cannot detect that they are supposed to be part of HamNoSys.

Another limitation is that *autofont* will always format all characters in the *Private Use Area* with the HamNoSys font. In the special case where you are using yet another font that also makes use of the *Private Use Area* this could lead to conflicts. In such cases you should not use *autofont* and instead change fonts explicitly or use one of the other methods.

2.3 HamNoSys in the source document

If you would like to also correctly display HamNoSys symbols in your TeX source code (instead of as many identical rectangles) you need to make sure that the font *HamNoSysUnicode* is installed in your operating system (see Section 1.2). Should it not be possible to install fonts (e. g. in an online editor) or the editor you use still does not display the symbols, it might be preferable to use symbol commands or names instead (see Sections 3 and 4). It should be noted, however, that it does not matter for the final PDF output file whether the source code was readable in the editor. As long as the font was correctly activated (see Section 2.1) all symbols should be displayed, even if they looked like identical rectangles in the input.

3 HamNoSys using symbol commands

The *hamnosys* package defines individual commands for each HamNoSys symbol. This is an alternative ASCII-compatible input method for HamNoSys. A list of all symbol commands can be found in Section 5.

```
You can use \hamceeall\hamthumbopenmod\hamfingerstraightmod\hamextfingerul
\hampalmdl\hamforehead\hamlrat\hamclose\hamparbegin\hammover\hamreplace
\hampinchall\hamfingerstraightmod\hamparend{} to sign Hamburg.
```

Output: You can use ‾ǝɾɕᴖ•ʲ([→↦‾ɕ] to sign Hamburg.

As is usual for LaTeX you should make sure to close commands with `{}` where necessary to prevent the accidental consumption of the following character.

The names of the commands match the official names of the HamNoSys symbols as they are defined in the *HamNoSysUnicode* font. An exception are symbols whose names contain digits (see Sections 5.1 and 5.10). As digits are not allowed to be part of LaTeX commands, they are written out as English words instead. For example, the symbol ⊐ has the name *hamfinger2* and the command `\hamfingertwo`.

An advantage of symbol commands is that they are always displayed in the correct font. Explicitly switching fonts with the help of `\hamnosysfont` or `\texthamnosys{}` is not required.

4 HamNoSys using symbol names

\hamnosys   The command `\hamnosys{}` allows you to input HamNoSys as a comma-separated sequence of symbol names. The symbol names can be taken from the lists in Section 5 or copied from the web input palette (see Section 1.2).

```
You can use \hamnosys{hamceeall,hamthumbopenmod,hamfingerstraightmod,
    hamextfingerul,hampalmdl,hamforehead,hamlrat,hamclose,hamparbegin,
    hammover,hamreplace,hampinchall,hamfingerstraightmod,hamparend} to
    sign Hamburg.
```

Output: You can use ‾ǝɾɕᴖ•ʲ([→↦‾ɕ] to sign Hamburg.

Unlike the symbol commands of Section 3), symbol names in `\hamnosys{}` may contain digits. In fact, both the name version with digits and the one with written out number words are accepted.

```
\hamnosys{hamfinger2}
```

or

```
\hamnosys{hamfingertwo}
```

Output: ⊟

Symbol names must be separated by commas. Whitespaces are allowed after the comma, but not required.

If a sequence contains an unknown term you will receive a compiler warning and the unknown term will be output as regular text. Unknown terms may be caused by typos, terms that are not part of the HamNoSys symbol name vocabulary, errors in comma separation or that a whitespace was entered **before** a comma. In the following example the symbol *hampalmdl* was accidentally spelled *hanpalmdl*:

```
\hamnosys{hamceeall,hamthumbopenmod,hamfingerstraightmod,hamextfingerul,
    hanpalmdl,hamforehead,hamlrat,hamclose,hamparbegin,hammover,hamreplace
    ,hampinchall,hamfingerstraightmod,hamparend}
```

Output: ⊟ᵣ *hanpalmdl* ⌐ ·)⁽[→↦⊟]

5 List of HamNoSys symbols

The following tables provide an overview of all HamNoSys symbols. For each symbol they provide its name, which command produces it, the symbol itself, and the hexadecimal value that is used to represent it in Unicode. Modifiers are symbols that function as diacritics, combining with the preceding character.

5.1 Handshapes

Name	Command	Symbol	Hex
hamfist	\hamfist	○	E000
hamflathand	\hamflathand	○	E001
hamfinger2	\hamfingertwo	⊣	E002
hamfinger23	\hamfingertwothree	⊣	E003
hamfinger23spread	\hamfingertwothreespread	⊣	E004
hamfinger2345	\hamfingertwothreefourfive	⊔	E005
hampinch12	\hampinchonetwo	◁	E006
hampinchall	\hampinchall	◈	E007
hampinch12open	\hampinchonetwoopen	⊃	E008
hamcee12	\hamceeonetwo	⊃	E009
hamceeall	\hamceeall	⊕	E00A
hamceeopen	\hamceeopen	Ⅎ	E00B

5.2 Handshape modifiers

Name	Command	Symbol	Hex
hamthumboutmod	\hamthumboutmod	╱	E00C
hamthumbacrossmod	\hamthumbacrossmod	⌐	E00D
hamthumbopenmod	\hamthumbopenmod	╱	E00E
hamfingerstraightmod	\hamfingerstraightmod	⎺	E010
hamfingerbendmod	\hamfingerbendmod	⌒	E011
hamfingerhookmod	\hamfingerhookmod	⊓	E012
hamdoublebent	\hamdoublebent	⌃	E013
hamdoublehooked	\hamdoublehooked	⌣	E014

5.3 Extended finger directions

Name	Command	Symbol	Hex
hamextfingeru	\hamextfingeru	⌃	E020
hamextfingerur	\hamextfingerur	⌐	E021
hamextfingerr	\hamextfingerr	›	E022
hamextfingerdr	\hamextfingerdr	⌐	E023
hamextfingerd	\hamextfingerd	⌄	E024

Name	Command	Symbol	Hex
hamextfingerdl	\hamextfingerdl	⌐	E025
hamextfingerl	\hamextfingerl	‹	E026
hamextfingerul	\hamextfingerul	⌐	E027
hamextfingerol	\hamextfingerol	⌐	E028
hamextfingero	\hamextfingero	⌐	E029
hamextfingeror	\hamextfingeror	⌐	E02A
hamextfingeril	\hamextfingeril	⌐	E02B
hamextfingeri	\hamextfingeri	⌐	E02C
hamextfingerir	\hamextfingerir	⌐	E02D
hamextfingerui	\hamextfingerui	⌐	E02E
hamextfingerdi	\hamextfingerdi	⌐	E02F
hamextfingerdo	\hamextfingerdo	⌐	E030
hamextfingeruo	\hamextfingeruo	⌐	E031

5.4 Palm orientation

Name	Command	Symbol	Hex
hampalmu	\hampalmu	⌐	E038
hampalmur	\hampalmur	⌐	E039
hampalmr	\hampalmr	0	E03A
hampalmdr	\hampalmdr	⌐	E03B
hampalmd	\hampalmd	⌐	E03C
hampalmdl	\hampalmdl	⌐	E03D
hampalml	\hampalml	0	E03E
hampalmul	\hampalmul	⌐	E03F

5.5 Location

Name	Command	Symbol	Hex
hamhead	\hamhead	○	E040
hamheadtop	\hamheadtop	○̄	E041
hamforehead	\hamforehead	⌒	E042
hameyebrows	\hameyebrows	⁓	E043
hameyes	\hameyes	∞	E044
hamnose	\hamnose	⊬	E045
hamnostrils	\hamnostrils	⊧	E046
hamear	\hamear	?	E047
hamearlobe	\hamearlobe	2	E048
hamcheek	\hamcheek	)	E049
hamlips	\hamlips	⌣	E04A
hamtongue	\hamtongue	⊜	E04B
hamteeth	\hamteeth	⊜	E04C
hamchin	\hamchin	⌣	E04D

Name	Command	Symbol	Hex
hamunderchin	\hamunderchin	‿	E04E
hamneck	\hamneck	)(	E04F
hamshouldertop	\hamshouldertop	⊽	E050
hamshoulders	\hamshoulders	▽	E051
hamchest	\hamchest	⊟	E052
hamstomach	\hamstomach	▽	E053
hambelowstomach	\hambelowstomach	▽	E054
hamneutralspace	\hamneutralspace	∅	E05F
hamupperarm	\hamupperarm	⌐	E060
hamelbow	\hamelbow	∟	E061
hamelbowinside	\hamelbowinside	∟	E062
hamlowerarm	\hamlowerarm	⌐	E063
hamwristback	\hamwristback	¬	E064
hamwristpulse	\hamwristpulse	⌐	E065
hamthumbball	\hamthumbball	⌐	E066
hampalm	\hampalm	⌒	E067
hamhandback	\hamhandback	⌒	E068
hamthumbside	\hamthumbside	1‖	E069
hampinkyside	\hampinkyside	5‖	E06A
hamthumb	\hamthumb	1	E070
hamindexfinger	\hamindexfinger	2	E071
hammiddlefinger	\hammiddlefinger	3	E072
hamringfinger	\hamringfinger	4	E073
hampinky	\hampinky	5	E074
hamfingertip	\hamfingertip	▯	E075
hamfingernail	\hamfingernail	▯	E076
hamfingerpad	\hamfingerpad	▮	E077
hamfingermidjoint	\hamfingermidjoint	▤	E078
hamfingerbase	\hamfingerbase	▯	E079
hamfingerside	\hamfingerside	▮	E07A

5.6 Location modifiers

Name	Command	Symbol	Hex
hamlrbeside	\hamlrbeside	▫	E058
hamlrat	\hamlrat	▪	E059
hamcoreftag	\hamcoreftag	□	E05A
hamcorefref	\hamcorefref	○	E05B

5.7 Movement

Name	Command	Symbol	Hex
hammoveu	\hammoveu	↑	E080
hammoveur	\hammoveur	↗	E081
hammover	\hammover	→	E082
hammovedr	\hammovedr	↘	E083
hammoved	\hammoved	↓	E084
hammovedl	\hammovedl	↙	E085
hammovel	\hammovel	←	E086
hammoveul	\hammoveul	↖	E087
hammoveol	\hammoveol	↖	E088
hammoveo	\hammoveo	↥	E089
hammoveor	\hammoveor	↗	E08A
hammoveil	\hammoveil	↙	E08B
hammovei	\hammovei	↧	E08C
hammoveir	\hammoveir	↘	E08D
hammoveui	\hammoveui	↖	E08E
hammovedi	\hammovedi	↙	E08F
hammovedo	\hammovedo	↘	E090
hammoveuo	\hammoveuo	↗	E091
hamcircleo	\hamcircleo	↻	E092
hamcirclei	\hamcirclei	↺	E093
hamcircled	\hamcircled	↻	E094
hamcircleu	\hamcircleu	↻	E095
hamcirclel	\hamcirclel	↻	E096
hamcircler	\hamcircler	↻	E097
hamcircleul	\hamcircleul	↗	E098
hamcircledr	\hamcircledr	↗	E099
hamcircleur	\hamcircleur	↘	E09A
hamcircledl	\hamcircledl	↘	E09B
hamcircleol	\hamcircleol	↗	E09C
hamcircleir	\hamcircleir	↗	E09D
hamcircleor	\hamcircleor	↘	E09E
hamcircleil	\hamcircleil	↘	E09F
hamcircleui	\hamcircleui	↗	E0A0
hamcircledo	\hamcircledo	↗	E0A1
hamcircleuo	\hamcircleuo	↘	E0A2

Name	Command	Symbol	Hex
hamcircledi	\hamcircledi	⊾	E0A3
hamfingerplay	\hamfingerplay	⍊	E0A4
hamnodding	\hamnodding	⇄	E0A5
hamswinging	\hamswinging	↔	E0A6
hamtwisting	\hamtwisting	Ψ	E0A7
hamstircw	\hamstircw	ϛ	E0A8
hamstirccw	\hamstirccw	ʔ	E0A9
hamreplace	\hamreplace	↣	E0AA
hamnomotion	\hamnomotion	�culurum	E0AF
hamclocku	\hamclocku	○	E0B0
hamclockul	\hamclockul	○	E0B1
hamclockl	\hamclockl	○	E0B2
hamclockdl	\hamclockdl	○	E0B3
hamclockd	\hamclockd	○	E0B4
hamclockdr	\hamclockdr	○	E0B5
hamclockr	\hamclockr	○	E0B6
hamclockur	\hamclockur	○	E0B7
hamclockfull	\hamclockfull	⊕	E0B8
hamarcl	\hamarcl	⊂	E0B9
hamarcu	\hamarcu	⌢	E0BA
hamarcr	\hamarcr	⊃	E0BB
hamarcd	\hamarcd	⌣	E0BC
hamwavy	\hamwavy	∼	E0BD
hamzigzag	\hamzigzag	∼	E0BE
hamellipseh	\hamellipseh	⊖	E0C0
hamellipseur	\hamellipseur	⊘	E0C1
hamellipsev	\hamellipsev	⊘	E0C2
hamellipseul	\hamellipseul	⊘	E0C3
hamincreasing	\hamincreasing	⟨	E0C4
hamdecreasing	\hamdecreasing	⟩	E0C5
hamfast	\hamfast	*	E0C8
hamslow	\hamslow	—	E0C9
hamtense	\hamtense	✗	E0CA
hamrest	\hamrest	⁊	E0CB
hamhalt	\hamhalt	‖	E0CC
hamclose	\hamclose	)(	E0D0
hamtouch	\hamtouch	χ	E0D1
haminterlock	\haminterlock	∅	E0D2
hamcross	\hamcross	×	E0D3
hamarmextended	\hamarmextended	↣	E0D4
hambehind	\hambehind	↶	E0D5
hambrushing	\hambrushing	∔	E0D6

5.8 Movement modifiers

Name	Command	Symbol	Hex
hamsmallmod	\hamsmallmod	∘	E0C6
hamlargemod	\hamlargemod	.	E0C7

5.9 Other symbols

Name	Command	Symbol	Hex
hamrepeatfromstart	\hamrepeatfromstart	⊢	E0D8
hamrepeatfromstartseveral	\hamrepeatfromstartseveral	⊩	E0D9
hamrepeatcontinue	\hamrepeatcontinue	⊢	E0DA
hamrepeatcontinueseveral	\hamrepeatcontinueseveral	⊩	E0DB
hamrepeatreverse	\hamrepeatreverse	⊣	E0DC
hamalternatingmotion	\hamalternatingmotion	∼	E0DD
hamseqbegin	\hamseqbegin	⌈	E0E0
hamseqend	\hamseqend	⌋	E0E1
hamparbegin	\hamparbegin	⌊	E0E2
hamparend	\hamparend	⌉	E0E3
hamfusionbegin	\hamfusionbegin	⟨	E0E4
hamfusionend	\hamfusionend	⟩	E0E5
hambetween	\hambetween	\	E0E6
hamplus	\hamplus	⁄	E0E7
hamsymmpar	\hamsymmpar	⁚	E0E8
hamsymmlr	\hamsymmlr	¨	E0E9
hamnondominant	\hamnondominant	⌀	E0EA
hamnonipsi	\hamnonipsi	я	E0EB
hametc	\hametc	⋯	E0EC
hamorirelative	\hamorirelative	~	E0ED
hammime	\hammime	⋃	E0F0

5.10 Version symbol

Name	Command	Symbol	Hex
hamversion40	\hamversionfourzero		E0F1

5.11 Regular Unicode characters

The following characters are not correctly recognised as HamNoSys symbols by *autofont* (see Section 2.2). If the HamNoSys font is not explicitly activated, these characters will instead be displayed using the regular document font. To compare these two possible output forms, they are contrasted in the columns *Symbol* (HamNoSys) and *Unicode* (normal).

Name	Command	Symbol	Unicode	Hex
hamspace	\hamspace			20
hamexclaim	\hamexclaim	!	!	21
hamcomma	\hamcomma	,	,	002C
hamfullstop	\hamfullstop	.	.	002E
hamquery	\hamquery	?	?	003F
hamaltbegin	\hamaltbegin	{	{	007B
hammetaalt	\hammetaalt	|	|	007C
hamaltend	\hamaltend	}	}	007D

5.12 Obsolete spacing symbols

The following symbols are marked as obsolete, but can still be found in the HamNoSys font.

Name	Command	Symbol	Hex
hamwristtopulse	\hamwristtopulse		E07C
hamwristtoback	\hamwristtoback		E07D
hamwristtothumb	\hamwristtothumb		E07E
hamwristtopinky	\hamwristtopinky		E07F
hammovecross	\hammovecross		E0AD
hammoveX	\hammoveX		E0AE

6 Implementation

6.1 Initialisation and Dependencies

Make sure the user uses Xe- oder LuaTeX.

```
1 \RequirePackage{iftex}
2 \ifXeTeX
3 \else
4  \ifLuaTeX
5  \else
6   \PackageError{hamnosys}{XeTeX or LuaTeX required}{The hamnosys package
7    requires either LuaTeX or XeTeX. You must change your typesetting engine
8    to, e.g., "xelatex" or "lualatex"instead of "latex" or "pdflatex".}
9  \fi
10 \fi
```

Additional package dependencies.

```
11 \RequirePackage{fontspec}
12 \RequirePackage{ifthen}
13 \RequirePackage{kvoptions}
```

Specify the *autofont* package option (see Section 2.2).

```
14 \SetupKeyvalOptions{family=hns, prefix=hns@}
15
16 \DeclareBoolOption{autofont}
17
18 \ProcessKeyvalOptions{hns}
```

6.2 HamNoSys font setup

`\hamnosysfont` Load the HamNoSys Unicode font family. This also declares the `\hamnosysfont` command for switching to the font (see Section 2.1).

```
19 \newfontfamily\hamnosysfont{HamNoSysUnicode}[
20     Extension = .ttf,
21     UprightFont = HamNoSysUnicode,
22     ]
```

`\texthamnosys` Declare font command `\texthamnosys` (see Section 2.1).

```
23 \newcommand{\texthamnosys}[1]{{\hamnosysfont #1}}
```

6.3 Automatic font switching

Implement the *autofont* package option (see Section 2.2). Use of this option adds the package *ucharclasses* as a depedency, which is only available for XeTeX.

```
24 \ifthenelse{\boolean{hns@autofont}}{%
25   \ifXeTeX
```

Only import *ucharclasses* if option is active to avoid unnecessary errors in LuaTeX.

```
26   \RequirePackage[Latin, PrivateUseArea]{ucharclasses}
27
```

Make it so that any characters in the *Private Use Area* of Unicode switch to the HamNoSys font and then back to the font setting they were at before. As any *Private Use Area* character will always do this, this is incompatible with using a second font that provides characters in the same Unicode area.

```
28   \setTransitionsFor{PrivateUseArea}%
29     {\let\curfamily\f@family\let\curshape\f@shape\let\curseries\f@series\hamnosysfont}
30     {\fontfamily{\curfamily}\fontshape{\curshape}\fontseries{\curseries}\selectfont}
```

If user is not using XeTeX, throw a warning.

```
31   \else
32     \PackageWarning{hamnosys}{Option autofont only available in XeTeX.}
33 \fi}{}
```

6.4   HamNoSys symbol commands

Declare commands for individiual HamNoSys symbols. See Section 3 for a general
discussion of how these are used and Section 5 for a tabular representation of all
symbols.

6.4.1   Handshapes

\hamfist   Declare the symbol ◠ (hamfist)

```
34 \DeclareTextCommand{\hamfist}{TU}{\texthamnosys{\char "E000}}
```

\hamflathand   Declare the symbol ◡ (hamflathand)

```
35 \DeclareTextCommand{\hamflathand}{TU}{\texthamnosys{\char "E001}}
```

\hamfingertwo   Declare the symbol ⊐ (hamfinger2)

```
36 \DeclareTextCommand{\hamfingertwo}{TU}{\texthamnosys{\char "E002}}
```

\hamfingertwothree   Declare the symbol ⊐ (hamfinger23)

```
37 \DeclareTextCommand{\hamfingertwothree}{TU}{\texthamnosys{\char "E003}}
```

\hamfingertwothreespread   Declare the symbol ⊐ (hamfinger23spread)

```
38 \DeclareTextCommand{\hamfingertwothreespread}{TU}{\texthamnosys{\char "E004}}
```

\hamfingertwothreefourfive   Declare the symbol ⊞ (hamfinger2345)

```
39 \DeclareTextCommand{\hamfingertwothreefourfive}{TU}{\texthamnosys{\char "E005}}
```

\hampinchonetwo   Declare the symbol ◠ (hampinch12)

```
40 \DeclareTextCommand{\hampinchonetwo}{TU}{\texthamnosys{\char "E006}}
```

\hampinchall   Declare the symbol ◠ (hampinchall)

```
41 \DeclareTextCommand{\hampinchall}{TU}{\texthamnosys{\char "E007}}
```

\hampinchonetwoopen   Declare the symbol ∂ (hampinch12open)

```
42 \DeclareTextCommand{\hampinchonetwoopen}{TU}{\texthamnosys{\char "E008}}
```

\hamceeonetwo   Declare the symbol ⊃ (hamcee12)

```
43 \DeclareTextCommand{\hamceeonetwo}{TU}{\texthamnosys{\char "E009}}
```

\hamceeall   Declare the symbol ⊕ (hamceeall)

```
44 \DeclareTextCommand{\hamceeall}{TU}{\texthamnosys{\char "E00A}}
```

\hamceeopen   Declare the symbol ∋ (hamceeopen)

```
45 \DeclareTextCommand{\hamceeopen}{TU}{\texthamnosys{\char "E00B}}
```

16

6.4.2 Handshape modifiers

\hamthumboutmod   Declare the symbol ⌐ (hamthumboutmod)

46 `\DeclareTextCommand{\hamthumboutmod}{TU}{\texthamnosys{\char "E00C}}`

\hamthumbacrossmod   Declare the symbol ⌐ (hamthumbacrossmod)

47 `\DeclareTextCommand{\hamthumbacrossmod}{TU}{\texthamnosys{\char "E00D}}`

\hamthumbopenmod   Declare the symbol ⌐ (hamthumbopenmod)

48 `\DeclareTextCommand{\hamthumbopenmod}{TU}{\texthamnosys{\char "E00E}}`

\hamfingerstraightmod   Declare the symbol ¯ (hamfingerstraightmod)

49 `\DeclareTextCommand{\hamfingerstraightmod}{TU}{\texthamnosys{\char "E010}}`

\hamfingerbendmod   Declare the symbol ⌢ (hamfingerbendmod)

50 `\DeclareTextCommand{\hamfingerbendmod}{TU}{\texthamnosys{\char "E011}}`

\hamfingerhookmod   Declare the symbol ⌢ (hamfingerhookmod)

51 `\DeclareTextCommand{\hamfingerhookmod}{TU}{\texthamnosys{\char "E012}}`

\hamdoublebent   Declare the symbol ⌢ (hamdoublebent)

52 `\DeclareTextCommand{\hamdoublebent}{TU}{\texthamnosys{\char "E013}}`

\hamdoublehooked   Declare the symbol ˘ (hamdoublehooked)

53 `\DeclareTextCommand{\hamdoublehooked}{TU}{\texthamnosys{\char "E014}}`

6.4.3 Extended finger directions

\hamextfingeru   Declare the symbol ⌐ (hamextfingeru)

54 `\DeclareTextCommand{\hamextfingeru}{TU}{\texthamnosys{\char "E020}}`

\hamextfingerur   Declare the symbol ⌐ (hamextfingerur)

55 `\DeclareTextCommand{\hamextfingerur}{TU}{\texthamnosys{\char "E021}}`

\hamextfingerr   Declare the symbol › (hamextfingerr)

56 `\DeclareTextCommand{\hamextfingerr}{TU}{\texthamnosys{\char "E022}}`

\hamextfingerdr   Declare the symbol ⌐ (hamextfingerdr)

57 `\DeclareTextCommand{\hamextfingerdr}{TU}{\texthamnosys{\char "E023}}`

\hamextfingerd   Declare the symbol ⌄ (hamextfingerd)

58 `\DeclareTextCommand{\hamextfingerd}{TU}{\texthamnosys{\char "E024}}`

\hamextfingerdl   Declare the symbol ⌐ (hamextfingerdl)

59 `\DeclareTextCommand{\hamextfingerdl}{TU}{\texthamnosys{\char "E025}}`

\hamextfingerl   Declare the symbol ‹ (hamextfingerl)

60 `\DeclareTextCommand{\hamextfingerl}{TU}{\texthamnosys{\char "E026}}`

\hamextfingerul   Declare the symbol ⌐ (hamextfingerul)

61 `\DeclareTextCommand{\hamextfingerul}{TU}{\texthamnosys{\char "E027}}`

\hamextfingerol	Declare the symbol ⊢ (hamextfingerol)
	62 \DeclareTextCommand{\hamextfingerol}{TU}{\texthamnosys{\char "E028}}
\hamextfingero	Declare the symbol ⊾ (hamextfingero)
	63 \DeclareTextCommand{\hamextfingero}{TU}{\texthamnosys{\char "E029}}
\hamextfingeror	Declare the symbol ⊐ (hamextfingeror)
	64 \DeclareTextCommand{\hamextfingeror}{TU}{\texthamnosys{\char "E02A}}
\hamextfingeril	Declare the symbol ⊢ (hamextfingeril)
	65 \DeclareTextCommand{\hamextfingeril}{TU}{\texthamnosys{\char "E02B}}
\hamextfingeri	Declare the symbol ⊻ (hamextfingeri)
	66 \DeclareTextCommand{\hamextfingeri}{TU}{\texthamnosys{\char "E02C}}
\hamextfingerir	Declare the symbol ⊿ (hamextfingerir)
	67 \DeclareTextCommand{\hamextfingerir}{TU}{\texthamnosys{\char "E02D}}
\hamextfingerui	Declare the symbol ⊦ (hamextfingerui)
	68 \DeclareTextCommand{\hamextfingerui}{TU}{\texthamnosys{\char "E02E}}
\hamextfingerdi	Declare the symbol ⊾ (hamextfingerdi)
	69 \DeclareTextCommand{\hamextfingerdi}{TU}{\texthamnosys{\char "E02F}}
\hamextfingerdo	Declare the symbol ⊔ (hamextfingerdo)
	70 \DeclareTextCommand{\hamextfingerdo}{TU}{\texthamnosys{\char "E030}}
\hamextfingeruo	Declare the symbol ⊩ (hamextfingeruo)
	71 \DeclareTextCommand{\hamextfingeruo}{TU}{\texthamnosys{\char "E031}}

6.4.4 Palm orientation

\hampalmu	Declare the symbol ◠ (hampalmu)
	72 \DeclareTextCommand{\hampalmu}{TU}{\texthamnosys{\char "E038}}
\hampalmur	Declare the symbol ◝ (hampalmur)
	73 \DeclareTextCommand{\hampalmur}{TU}{\texthamnosys{\char "E039}}
\hampalmr	Declare the symbol ◖ (hampalmr)
	74 \DeclareTextCommand{\hampalmr}{TU}{\texthamnosys{\char "E03A}}
\hampalmdr	Declare the symbol ◞ (hampalmdr)
	75 \DeclareTextCommand{\hampalmdr}{TU}{\texthamnosys{\char "E03B}}
\hampalmd	Declare the symbol ◡ (hampalmd)
	76 \DeclareTextCommand{\hampalmd}{TU}{\texthamnosys{\char "E03C}}
\hampalmdl	Declare the symbol ◟ (hampalmdl)
	77 \DeclareTextCommand{\hampalmdl}{TU}{\texthamnosys{\char "E03D}}
\hampalml	Declare the symbol ◗ (hampalml)
	78 \DeclareTextCommand{\hampalml}{TU}{\texthamnosys{\char "E03E}}
\hampalmul	Declare the symbol ◜ (hampalmul)
	79 \DeclareTextCommand{\hampalmul}{TU}{\texthamnosys{\char "E03F}}

6.4.5 Location

\hamhead   Declare the symbol ○ (hamhead)

80 \DeclareTextCommand{\hamhead}{TU}{\texthamnosys{\char "E040}}

\hamheadtop   Declare the symbol ○̄ (hamheadtop)

81 \DeclareTextCommand{\hamheadtop}{TU}{\texthamnosys{\char "E041}}

\hamforehead   Declare the symbol ⌐ (hamforehead)

82 \DeclareTextCommand{\hamforehead}{TU}{\texthamnosys{\char "E042}}

\hameyebrows   Declare the symbol ⁓ (hameyebrows)

83 \DeclareTextCommand{\hameyebrows}{TU}{\texthamnosys{\char "E043}}

\hameyes   Declare the symbol ∞ (hameyes)

84 \DeclareTextCommand{\hameyes}{TU}{\texthamnosys{\char "E044}}

\hamnose   Declare the symbol ⼐ (hamnose)

85 \DeclareTextCommand{\hamnose}{TU}{\texthamnosys{\char "E045}}

\hamnostrils   Declare the symbol ⼐ (hamnostrils)

86 \DeclareTextCommand{\hamnostrils}{TU}{\texthamnosys{\char "E046}}

\hamear   Declare the symbol ⌐ (hamear)

87 \DeclareTextCommand{\hamear}{TU}{\texthamnosys{\char "E047}}

\hamearlobe   Declare the symbol ⌐ (hamearlobe)

88 \DeclareTextCommand{\hamearlobe}{TU}{\texthamnosys{\char "E048}}

\hamcheek   Declare the symbol ⌐ (hamcheek)

89 \DeclareTextCommand{\hamcheek}{TU}{\texthamnosys{\char "E049}}

\hamlips   Declare the symbol ⌣ (hamlips)

90 \DeclareTextCommand{\hamlips}{TU}{\texthamnosys{\char "E04A}}

\hamtongue   Declare the symbol ⌣ (hamtongue)

91 \DeclareTextCommand{\hamtongue}{TU}{\texthamnosys{\char "E04B}}

\hamteeth   Declare the symbol ⌣ (hamteeth)

92 \DeclareTextCommand{\hamteeth}{TU}{\texthamnosys{\char "E04C}}

\hamchin   Declare the symbol ⌣ (hamchin)

93 \DeclareTextCommand{\hamchin}{TU}{\texthamnosys{\char "E04D}}

\hamunderchin   Declare the symbol ⌣ (hamunderchin)

94 \DeclareTextCommand{\hamunderchin}{TU}{\texthamnosys{\char "E04E}}

\hamneck   Declare the symbol)((hamneck)

95 \DeclareTextCommand{\hamneck}{TU}{\texthamnosys{\char "E04F}}

\hamshouldertop   Declare the symbol ⊤ (hamshouldertop)

96 \DeclareTextCommand{\hamshouldertop}{TU}{\texthamnosys{\char "E050}}

\hamshoulders	Declare the symbol ▽ (hamshoulders)
	97 \DeclareTextCommand{\hamshoulders}{TU}{\texthamnosys{\char "E051}}
\hamchest	Declare the symbol ≡ (hamchest)
	98 \DeclareTextCommand{\hamchest}{TU}{\texthamnosys{\char "E052}}
\hamstomach	Declare the symbol ▽ (hamstomach)
	99 \DeclareTextCommand{\hamstomach}{TU}{\texthamnosys{\char "E053}}
\hambelowstomach	Declare the symbol ▽ (hambelowstomach)
	100 \DeclareTextCommand{\hambelowstomach}{TU}{\texthamnosys{\char "E054}}
\hamneutralspace	Declare the symbol ∅ (hamneutralspace)
	101 \DeclareTextCommand{\hamneutralspace}{TU}{\texthamnosys{\char "E05F}}
\hamupperarm	Declare the symbol ˥ (hamupperarm)
	102 \DeclareTextCommand{\hamupperarm}{TU}{\texthamnosys{\char "E060}}
\hamelbow	Declare the symbol ∟ (hamelbow)
	103 \DeclareTextCommand{\hamelbow}{TU}{\texthamnosys{\char "E061}}
\hamelbowinside	Declare the symbol ∟ (hamelbowinside)
	104 \DeclareTextCommand{\hamelbowinside}{TU}{\texthamnosys{\char "E062}}
\hamlowerarm	Declare the symbol ∽ (hamlowerarm)
	105 \DeclareTextCommand{\hamlowerarm}{TU}{\texthamnosys{\char "E063}}
\hamwristback	Declare the symbol ¬ (hamwristback)
	106 \DeclareTextCommand{\hamwristback}{TU}{\texthamnosys{\char "E064}}
\hamwristpulse	Declare the symbol ⌐ (hamwristpulse)
	107 \DeclareTextCommand{\hamwristpulse}{TU}{\texthamnosys{\char "E065}}
\hamthumbball	Declare the symbol ↋ (hamthumbball)
	108 \DeclareTextCommand{\hamthumbball}{TU}{\texthamnosys{\char "E066}}
\hampalm	Declare the symbol ⌣ (hampalm)
	109 \DeclareTextCommand{\hampalm}{TU}{\texthamnosys{\char "E067}}
\hamhandback	Declare the symbol ⌢ (hamhandback)
	110 \DeclareTextCommand{\hamhandback}{TU}{\texthamnosys{\char "E068}}
\hamthumbside	Declare the symbol ‖ (hamthumbside)
	111 \DeclareTextCommand{\hamthumbside}{TU}{\texthamnosys{\char "E069}}
\hampinkyside	Declare the symbol ⅋ (hampinkyside)
	112 \DeclareTextCommand{\hampinkyside}{TU}{\texthamnosys{\char "E06A}}
\hamthumb	Declare the symbol ¹ (hamthumb)
	113 \DeclareTextCommand{\hamthumb}{TU}{\texthamnosys{\char "E070}}

\hamindexfinger	Declare the symbol ꜚ (hamindexfinger)
	114 \DeclareTextCommand{\hamindexfinger}{TU}{\texthamnosys{\char "E071}}
\hammiddlefinger	Declare the symbol ꜛ (hammiddlefinger)
	115 \DeclareTextCommand{\hammiddlefinger}{TU}{\texthamnosys{\char "E072}}
\hamringfinger	Declare the symbol ꜛ (hamringfinger)
	116 \DeclareTextCommand{\hamringfinger}{TU}{\texthamnosys{\char "E073}}
\hampinky	Declare the symbol ꜛ (hampinky)
	117 \DeclareTextCommand{\hampinky}{TU}{\texthamnosys{\char "E074}}
\hamfingertip	Declare the symbol ꜛ (hamfingertip)
	118 \DeclareTextCommand{\hamfingertip}{TU}{\texthamnosys{\char "E075}}
\hamfingernail	Declare the symbol ꜛ (hamfingernail)
	119 \DeclareTextCommand{\hamfingernail}{TU}{\texthamnosys{\char "E076}}
\hamfingerpad	Declare the symbol ꜛ (hamfingerpad)
	120 \DeclareTextCommand{\hamfingerpad}{TU}{\texthamnosys{\char "E077}}
\hamfingermidjoint	Declare the symbol ꜛ (hamfingermidjoint)
	121 \DeclareTextCommand{\hamfingermidjoint}{TU}{\texthamnosys{\char "E078}}
\hamfingerbase	Declare the symbol ꜛ (hamfingerbase)
	122 \DeclareTextCommand{\hamfingerbase}{TU}{\texthamnosys{\char "E079}}
\hamfingerside	Declare the symbol ꜛ (hamfingerside)
	123 \DeclareTextCommand{\hamfingerside}{TU}{\texthamnosys{\char "E07A}}

6.4.6 Location modifiers

\hamlrbeside	Declare the symbol ꜛ (hamlrbeside)
	124 \DeclareTextCommand{\hamlrbeside}{TU}{\texthamnosys{\char "E058}}
\hamlrat	Declare the symbol ꜛ (hamlrat)
	125 \DeclareTextCommand{\hamlrat}{TU}{\texthamnosys{\char "E059}}
\hamcoreftag	Declare the symbol □ (hamcoreftag)
	126 \DeclareTextCommand{\hamcoreftag}{TU}{\texthamnosys{\char "E05A}}
\hamcorefref	Declare the symbol ○ (hamcorefref)
	127 \DeclareTextCommand{\hamcorefref}{TU}{\texthamnosys{\char "E05B}}

6.4.7 Movement

\hammoveu Declare the symbol ↑ (hammoveu)
128 \DeclareTextCommand{\hammoveu}{TU}{\texthamnosys{\char "E080}}

\hammoveur Declare the symbol ↗ (hammoveur)
129 \DeclareTextCommand{\hammoveur}{TU}{\texthamnosys{\char "E081}}

\hammover Declare the symbol → (hammover)
130 \DeclareTextCommand{\hammover}{TU}{\texthamnosys{\char "E082}}

\hammovedr Declare the symbol ↘ (hammovedr)
131 \DeclareTextCommand{\hammovedr}{TU}{\texthamnosys{\char "E083}}

\hammoved Declare the symbol ↓ (hammoved)
132 \DeclareTextCommand{\hammoved}{TU}{\texthamnosys{\char "E084}}

\hammovedl Declare the symbol ↙ (hammovedl)
133 \DeclareTextCommand{\hammovedl}{TU}{\texthamnosys{\char "E085}}

\hammovel Declare the symbol ← (hammovel)
134 \DeclareTextCommand{\hammovel}{TU}{\texthamnosys{\char "E086}}

\hammoveul Declare the symbol ↖ (hammoveul)
135 \DeclareTextCommand{\hammoveul}{TU}{\texthamnosys{\char "E087}}

\hammoveol Declare the symbol ↖ (hammoveol)
136 \DeclareTextCommand{\hammoveol}{TU}{\texthamnosys{\char "E088}}

\hammoveo Declare the symbol ↥ (hammoveo)
137 \DeclareTextCommand{\hammoveo}{TU}{\texthamnosys{\char "E089}}

\hammoveor Declare the symbol ↗ (hammoveor)
138 \DeclareTextCommand{\hammoveor}{TU}{\texthamnosys{\char "E08A}}

\hammoveil Declare the symbol ↙ (hammoveil)
139 \DeclareTextCommand{\hammoveil}{TU}{\texthamnosys{\char "E08B}}

\hammovei Declare the symbol ↧ (hammovei)
140 \DeclareTextCommand{\hammovei}{TU}{\texthamnosys{\char "E08C}}

\hammoveir Declare the symbol ↘ (hammoveir)
141 \DeclareTextCommand{\hammoveir}{TU}{\texthamnosys{\char "E08D}}

\hammoveui Declare the symbol ↖ (hammoveui)
142 \DeclareTextCommand{\hammoveui}{TU}{\texthamnosys{\char "E08E}}

\hammovedi Declare the symbol ↙ (hammovedi)
143 \DeclareTextCommand{\hammovedi}{TU}{\texthamnosys{\char "E08F}}

\hammovedo Declare the symbol ↘ (hammovedo)
144 \DeclareTextCommand{\hammovedo}{TU}{\texthamnosys{\char "E090}}

\hammoveuo	Declare the symbol ↗ (hammoveuo)
	145 \DeclareTextCommand{\hammoveuo}{TU}{\texthamnosys{\char "E091}}
\hamcircleo	Declare the symbol ◠ (hamcircleo)
	146 \DeclareTextCommand{\hamcircleo}{TU}{\texthamnosys{\char "E092}}
\hamcirclei	Declare the symbol ◡ (hamcirclei)
	147 \DeclareTextCommand{\hamcirclei}{TU}{\texthamnosys{\char "E093}}
\hamcircled	Declare the symbol ◡ (hamcircled)
	148 \DeclareTextCommand{\hamcircled}{TU}{\texthamnosys{\char "E094}}
\hamcircleu	Declare the symbol ◠ (hamcircleu)
	149 \DeclareTextCommand{\hamcircleu}{TU}{\texthamnosys{\char "E095}}
\hamcirclel	Declare the symbol ◠ (hamcirclel)
	150 \DeclareTextCommand{\hamcirclel}{TU}{\texthamnosys{\char "E096}}
\hamcircler	Declare the symbol ◠ (hamcircler)
	151 \DeclareTextCommand{\hamcircler}{TU}{\texthamnosys{\char "E097}}
\hamcircleul	Declare the symbol ⟋ (hamcircleul)
	152 \DeclareTextCommand{\hamcircleul}{TU}{\texthamnosys{\char "E098}}
\hamcircledr	Declare the symbol ⟋ (hamcircledr)
	153 \DeclareTextCommand{\hamcircledr}{TU}{\texthamnosys{\char "E099}}
\hamcircleur	Declare the symbol ⟍ (hamcircleur)
	154 \DeclareTextCommand{\hamcircleur}{TU}{\texthamnosys{\char "E09A}}
\hamcircledl	Declare the symbol ⟍ (hamcircledl)
	155 \DeclareTextCommand{\hamcircledl}{TU}{\texthamnosys{\char "E09B}}
\hamcircleol	Declare the symbol ⟈ (hamcircleol)
	156 \DeclareTextCommand{\hamcircleol}{TU}{\texthamnosys{\char "E09C}}
\hamcircleir	Declare the symbol ⟈ (hamcircleir)
	157 \DeclareTextCommand{\hamcircleir}{TU}{\texthamnosys{\char "E09D}}
\hamcircleor	Declare the symbol ⟉ (hamcircleor)
	158 \DeclareTextCommand{\hamcircleor}{TU}{\texthamnosys{\char "E09E}}
\hamcircleil	Declare the symbol ⟉ (hamcircleil)
	159 \DeclareTextCommand{\hamcircleil}{TU}{\texthamnosys{\char "E09F}}
\hamcircleui	Declare the symbol ⟱ (hamcircleui)
	160 \DeclareTextCommand{\hamcircleui}{TU}{\texthamnosys{\char "E0A0}}
\hamcircledo	Declare the symbol ⟱ (hamcircledo)
	161 \DeclareTextCommand{\hamcircledo}{TU}{\texthamnosys{\char "E0A1}}

\hamcircleuo	Declare the symbol ↖ (hamcircleuo)

162 \DeclareTextCommand{\hamcircleuo}{TU}{\texthamnosys{\char "E0A2}}

\hamcircledi	Declare the symbol ↖ (hamcircledi)

163 \DeclareTextCommand{\hamcircledi}{TU}{\texthamnosys{\char "E0A3}}

\hamfingerplay	Declare the symbol ⚕ (hamfingerplay)

164 \DeclareTextCommand{\hamfingerplay}{TU}{\texthamnosys{\char "E0A4}}

\hamnodding	Declare the symbol ⁑ (hamnodding)

165 \DeclareTextCommand{\hamnodding}{TU}{\texthamnosys{\char "E0A5}}

\hamswinging	Declare the symbol ↔ (hamswinging)

166 \DeclareTextCommand{\hamswinging}{TU}{\texthamnosys{\char "E0A6}}

\hamtwisting	Declare the symbol �touch (hamtwisting)

167 \DeclareTextCommand{\hamtwisting}{TU}{\texthamnosys{\char "E0A7}}

\hamstircw	Declare the symbol ↻ (hamstircw)

168 \DeclareTextCommand{\hamstircw}{TU}{\texthamnosys{\char "E0A8}}

\hamstirccw	Declare the symbol ↺ (hamstirccw)

169 \DeclareTextCommand{\hamstirccw}{TU}{\texthamnosys{\char "E0A9}}

\hamreplace	Declare the symbol ↝ (hamreplace)

170 \DeclareTextCommand{\hamreplace}{TU}{\texthamnosys{\char "E0AA}}

\hamnomotion	Declare the symbol ⊘ (hamnomotion)

171 \DeclareTextCommand{\hamnomotion}{TU}{\texthamnosys{\char "E0AF}}

\hamclocku	Declare the symbol ○ (hamclocku)

172 \DeclareTextCommand{\hamclocku}{TU}{\texthamnosys{\char "E0B0}}

\hamclockul	Declare the symbol ◠ (hamclockul)

173 \DeclareTextCommand{\hamclockul}{TU}{\texthamnosys{\char "E0B1}}

\hamclockl	Declare the symbol ◡ (hamclockl)

174 \DeclareTextCommand{\hamclockl}{TU}{\texthamnosys{\char "E0B2}}

\hamclockdl	Declare the symbol ◡ (hamclockdl)

175 \DeclareTextCommand{\hamclockdl}{TU}{\texthamnosys{\char "E0B3}}

\hamclockd	Declare the symbol ○ (hamclockd)

176 \DeclareTextCommand{\hamclockd}{TU}{\texthamnosys{\char "E0B4}}

\hamclockdr	Declare the symbol ◠ (hamclockdr)

177 \DeclareTextCommand{\hamclockdr}{TU}{\texthamnosys{\char "E0B5}}

\hamclockr	Declare the symbol ○ (hamclockr)

178 \DeclareTextCommand{\hamclockr}{TU}{\texthamnosys{\char "E0B6}}

\hamclockur   Declare the symbol ↺ (hamclockur)

179 \DeclareTextCommand{\hamclockur}{TU}{\texthamnosys{\char "E0B7}}

\hamclockfull   Declare the symbol ⊕ (hamclockfull)

180 \DeclareTextCommand{\hamclockfull}{TU}{\texthamnosys{\char "E0B8}}

\hamarcl   Declare the symbol ⌣ (hamarcl)

181 \DeclareTextCommand{\hamarcl}{TU}{\texthamnosys{\char "E0B9}}

\hamarcu   Declare the symbol ⌢ (hamarcu)

182 \DeclareTextCommand{\hamarcu}{TU}{\texthamnosys{\char "E0BA}}

\hamarcr   Declare the symbol ⌐ (hamarcr)

183 \DeclareTextCommand{\hamarcr}{TU}{\texthamnosys{\char "E0BB}}

\hamarcd   Declare the symbol ⌣ (hamarcd)

184 \DeclareTextCommand{\hamarcd}{TU}{\texthamnosys{\char "E0BC}}

\hamwavy   Declare the symbol ～ (hamwavy)

185 \DeclareTextCommand{\hamwavy}{TU}{\texthamnosys{\char "E0BD}}

\hamzigzag   Declare the symbol ～ (hamzigzag)

186 \DeclareTextCommand{\hamzigzag}{TU}{\texthamnosys{\char "E0BE}}

\hamellipseh   Declare the symbol ⊖ (hamellipseh)

187 \DeclareTextCommand{\hamellipseh}{TU}{\texthamnosys{\char "E0C0}}

\hamellipseur   Declare the symbol ⊘ (hamellipseur)

188 \DeclareTextCommand{\hamellipseur}{TU}{\texthamnosys{\char "E0C1}}

\hamellipsev   Declare the symbol ⊘ (hamellipsev)

189 \DeclareTextCommand{\hamellipsev}{TU}{\texthamnosys{\char "E0C2}}

\hamellipseul   Declare the symbol ⊙ (hamellipseul)

190 \DeclareTextCommand{\hamellipseul}{TU}{\texthamnosys{\char "E0C3}}

\hamincreasing   Declare the symbol ∠ (hamincreasing)

191 \DeclareTextCommand{\hamincreasing}{TU}{\texthamnosys{\char "E0C4}}

\hamdecreasing   Declare the symbol ≥ (hamdecreasing)

192 \DeclareTextCommand{\hamdecreasing}{TU}{\texthamnosys{\char "E0C5}}

\hamfast   Declare the symbol * (hamfast)

193 \DeclareTextCommand{\hamfast}{TU}{\texthamnosys{\char "E0C8}}

\hamslow   Declare the symbol ¯ (hamslow)

194 \DeclareTextCommand{\hamslow}{TU}{\texthamnosys{\char "E0C9}}

\hamtense   Declare the symbol ˟ (hamtense)

195 \DeclareTextCommand{\hamtense}{TU}{\texthamnosys{\char "E0CA}}

\hamrest	Declare the symbol ˀ (hamrest)
	196 \DeclareTextCommand{\hamrest}{TU}{\texthamnosys{\char "E0CB}}
\hamhalt	Declare the symbol ‖ (hamhalt)
	197 \DeclareTextCommand{\hamhalt}{TU}{\texthamnosys{\char "E0CC}}
\hamclose	Declare the symbol)((hamclose)
	198 \DeclareTextCommand{\hamclose}{TU}{\texthamnosys{\char "E0D0}}
\hamtouch	Declare the symbol ᵡ (hamtouch)
	199 \DeclareTextCommand{\hamtouch}{TU}{\texthamnosys{\char "E0D1}}
\haminterlock	Declare the symbol ᵠ (haminterlock)
	200 \DeclareTextCommand{\haminterlock}{TU}{\texthamnosys{\char "E0D2}}
\hamcross	Declare the symbol × (hamcross)
	201 \DeclareTextCommand{\hamcross}{TU}{\texthamnosys{\char "E0D3}}
\hamarmextended	Declare the symbol ↠ (hamarmextended)
	202 \DeclareTextCommand{\hamarmextended}{TU}{\texthamnosys{\char "E0D4}}
\hambehind	Declare the symbol ᠀ (hambehind)
	203 \DeclareTextCommand{\hambehind}{TU}{\texthamnosys{\char "E0D5}}
\hambrushing	Declare the symbol ✦ (hambrushing)
	204 \DeclareTextCommand{\hambrushing}{TU}{\texthamnosys{\char "E0D6}}

6.4.8 Movement modifiers

\hamsmallmod	Declare the symbol ◦ (hamsmallmod)
	205 \DeclareTextCommand{\hamsmallmod}{TU}{\texthamnosys{\char "E0C6}}
\hamlargemod	Declare the symbol . (hamlargemod)
	206 \DeclareTextCommand{\hamlargemod}{TU}{\texthamnosys{\char "E0C7}}

6.4.9 Other symbols

\hamrepeatfromstart	Declare the symbol ⁺ (hamrepeatfromstart)
	207 \DeclareTextCommand{\hamrepeatfromstart}{TU}{\texthamnosys{\char "E0D8}}
\hamrepeatfromstartseveral	Declare the symbol ⧺ (hamrepeatfromstartseveral)
	208 \DeclareTextCommand{\hamrepeatfromstartseveral}{TU}{\texthamnosys{\char "E0D9}}
\hamrepeatcontinue	Declare the symbol ⧻ (hamrepeatcontinue)
	209 \DeclareTextCommand{\hamrepeatcontinue}{TU}{\texthamnosys{\char "E0DA}}
\hamrepeatcontinueseveral	Declare the symbol ⧺⧻ (hamrepeatcontinueseveral)
	210 \DeclareTextCommand{\hamrepeatcontinueseveral}{TU}{\texthamnosys{\char "E0DB}}
\hamrepeatreverse	Declare the symbol ⇥ (hamrepeatreverse)
	211 \DeclareTextCommand{\hamrepeatreverse}{TU}{\texthamnosys{\char "E0DC}}

\hamalternatingmotion	Declare the symbol ~ (hamalternatingmotion)
	212 \DeclareTextCommand{\hamalternatingmotion}{TU}{\texthamnosys{\char "E0DD}}
\hamseqbegin	Declare the symbol ⸨ (hamseqbegin)
	213 \DeclareTextCommand{\hamseqbegin}{TU}{\texthamnosys{\char "E0E0}}
\hamseqend	Declare the symbol ⸩ (hamseqend)
	214 \DeclareTextCommand{\hamseqend}{TU}{\texthamnosys{\char "E0E1}}
\hamparbegin	Declare the symbol [(hamparbegin)
	215 \DeclareTextCommand{\hamparbegin}{TU}{\texthamnosys{\char "E0E2}}
\hamparend	Declare the symbol] (hamparend)
	216 \DeclareTextCommand{\hamparend}{TU}{\texthamnosys{\char "E0E3}}
\hamfusionbegin	Declare the symbol ' (hamfusionbegin)
	217 \DeclareTextCommand{\hamfusionbegin}{TU}{\texthamnosys{\char "E0E4}}
\hamfusionend	Declare the symbol ' (hamfusionend)
	218 \DeclareTextCommand{\hamfusionend}{TU}{\texthamnosys{\char "E0E5}}
\hambetween	Declare the symbol \ (hambetween)
	219 \DeclareTextCommand{\hambetween}{TU}{\texthamnosys{\char "E0E6}}
\hamplus	Declare the symbol ⸼ (hamplus)
	220 \DeclareTextCommand{\hamplus}{TU}{\texthamnosys{\char "E0E7}}
\hamsymmpar	Declare the symbol ' (hamsymmpar)
	221 \DeclareTextCommand{\hamsymmpar}{TU}{\texthamnosys{\char "E0E8}}
\hamsymmlr	Declare the symbol ¨ (hamsymmlr)
	222 \DeclareTextCommand{\hamsymmlr}{TU}{\texthamnosys{\char "E0E9}}
\hamnondominant	Declare the symbol ⌀ (hamnondominant)
	223 \DeclareTextCommand{\hamnondominant}{TU}{\texthamnosys{\char "E0EA}}
\hamnonipsi	Declare the symbol ᵃ (hamnonipsi)
	224 \DeclareTextCommand{\hamnonipsi}{TU}{\texthamnosys{\char "E0EB}}
\hametc	Declare the symbol ‥ (hametc)
	225 \DeclareTextCommand{\hametc}{TU}{\texthamnosys{\char "E0EC}}
\hamorirelative	Declare the symbol ˷ (hamorirelative)
	226 \DeclareTextCommand{\hamorirelative}{TU}{\texthamnosys{\char "E0ED}}
\hammime	Declare the symbol ⊍ (hammime)
	227 \DeclareTextCommand{\hammime}{TU}{\texthamnosys{\char "E0F0}}

6.4.10 Version symbol

\hamversionfourzero	Declare the symbol ᵉ (hamversion40)
	228 \DeclareTextCommand{\hamversionfourzero}{TU}{\texthamnosys{\char "E0F1}}

6.4.11 Regular Unicode characters

\hamspace Declare the symbol (hamspace)

229 `\DeclareTextCommand{\hamspace}{TU}{\texthamnosys{\char "20}}`

\hamexclaim Declare the symbol ! (hamexclaim)

230 `\DeclareTextCommand{\hamexclaim}{TU}{\texthamnosys{\char "21}}`

\hamcomma Declare the symbol , (hamcomma)

231 `\DeclareTextCommand{\hamcomma}{TU}{\texthamnosys{\char "002C}}`

\hamfullstop Declare the symbol . (hamfullstop)

232 `\DeclareTextCommand{\hamfullstop}{TU}{\texthamnosys{\char "002E}}`

\hamquery Declare the symbol ? (hamquery)

233 `\DeclareTextCommand{\hamquery}{TU}{\texthamnosys{\char "003F}}`

\hamaltbegin Declare the symbol { (hamaltbegin)

234 `\DeclareTextCommand{\hamaltbegin}{TU}{\texthamnosys{\char "007B}}`

\hammetaalt Declare the symbol | (hammetaalt)

235 `\DeclareTextCommand{\hammetaalt}{TU}{\texthamnosys{\char "007C}}`

\hamaltend Declare the symbol } (hamaltend)

236 `\DeclareTextCommand{\hamaltend}{TU}{\texthamnosys{\char "007D}}`

6.4.12 Obsolete spacing symbols

\hamwristtopulse Declare the symbol ⃗ (hamwristtopulse)

237 `\DeclareTextCommand{\hamwristtopulse}{TU}{\texthamnosys{\char "E07C}}`

\hamwristtoback Declare the symbol ⃗ (hamwristtoback)

238 `\DeclareTextCommand{\hamwristtoback}{TU}{\texthamnosys{\char "E07D}}`

\hamwristtothumb Declare the symbol ⃗ (hamwristtothumb)

239 `\DeclareTextCommand{\hamwristtothumb}{TU}{\texthamnosys{\char "E07E}}`

\hamwristtopinky Declare the symbol ⃗ (hamwristtopinky)

240 `\DeclareTextCommand{\hamwristtopinky}{TU}{\texthamnosys{\char "E07F}}`

\hammovecross Declare the symbol ⃗ (hammovecross)

241 `\DeclareTextCommand{\hammovecross}{TU}{\texthamnosys{\char "E0AD}}`

\hammoveX Declare the symbol ⃗ (hammoveX)

242 `\DeclareTextCommand{\hammoveX}{TU}{\texthamnosys{\char "E0AE}}`

6.5 Symbol name sequence

Code required for entering HamNoSys as a sequence of symbol name as described in .

6.5.1 For each

Declare an internal *for loop* macro that can iterate over a comma-separated list and perform a given command on each item of the list.[8]

`\@foreach` The *for each* loop. Takes two arguments:

1. Command that is called on each item of the list.

2. Comma-separated list of items.

```
243 \def\@foreach#1#2{%
244   \@test@foreach{#1}#2,\@end@token%
245 }
```

`\@swallow` Internal helper function that eats one input at a time.

```
246 \def\@swallow#1{}
```

`\@test@foreach` Internal helper function that checks the next character after #1 and continues the loop iteration unless `\@end@token` is found.

```
247 \def\@test@foreach#1{%
248   \@ifnextchar\@end@token%
249     {\@swallow}%
250     {\@recurse@foreach{#1}}%
251 }
```

`\@recurse@foreach` Internal helper function that splits the sequence at the next comma thanks to the patter matching of `\def`.

```
252 \def\@recurse@foreach#1#2,#3\@end@token{%
253   #1{#2}%
254   \@test@foreach{#1}#3\@end@token%
255 }
```

6.5.2 Symbol name to symbol command

`\@wordtohamnosys` Internal command for converting a single HamNoSys symbol name to its TeX-command (and thus into the actual character). Most symbol names are passed straight through to the command of the same name, but symbols whose name contains digits are intercepted and manually replaced with their matching symbol command.

```
256 \newcommand{\@wordtohamnosys}[1]{%
257 \ifthenelse{\equal{#1}{hamfinger2}}{\hamfingertwo}{%
258 \ifthenelse{\equal{#1}{hamfinger23}}{\hamfingertwothree}{%
259 \ifthenelse{\equal{#1}{hamfinger23spread}}{\hamfingertwothreespread}{%
260 \ifthenelse{\equal{#1}{hamfinger2345}}{\hamfingertwothreefourfive}{%
261 \ifthenelse{\equal{#1}{hampinch12}}{\hampinchonetwo}{%
262 \ifthenelse{\equal{#1}{hampinch12open}}{\hampinchonetwoopen}{%
263 \ifthenelse{\equal{#1}{hamcee12}}{\hamceeonetwo}{%
264 \ifthenelse{\equal{#1}{hamversion40}}{\hamversionfourzero}{%
265 \@ifundefined{#1}{#1\PackageWarning{hamnosys}{%
266 Unknown symbol "#1" in \protect\hamnosys. Typo?}}{\csname #1\endcsname}}}}}}}}}
```

---

[8]Code adapted from https://stackoverflow.com/a/2408268.

6.5.3 Symbol name sequence command

`\hamnosys` Declare the user command for generating a HamNoSys symbol name sequence (see Section 4).

267 `\DeclareRobustCommand{\hamnosys}[1]{\@foreach{\@wordtohamnosys}{#1}}`

References

Hanke, Thomas (2004). "HamNoSys – Representing Sign Language Data in Language Resources and Language Processing Contexts". In: *4th International Conference on Language Resources and Evaluation (LREC 2004). Proceedings of the LREC2004 Workshop on the Representation and Processing of Sign Languages: From SignWriting to Image Processing. Information techniques and their implications for teaching, documentation and communication* (Lisbon, Portugal). Ed. by Oliver Streiter and Chiara Vettori. Paris, France: European Language Resources Association (ELRA), pp. 1–6. URL: https://www.sign-lang.uni-hamburg.de/lrec/pub/04001.pdf.

Prillwitz, Siegmund, Regina Leven, Heiko Zienert, Thomas Hanke, Jan Henning et al. (1987). *HamNoSys. Hamburg Notation System for Sign Language. An Introduction*. Hamburg, Germany: Zentrum für deutsche Gebärdensprache.

— (1989). *HamNoSys. Version 2.0. Hamburg Notation System for Sign Languages. An Introductory Guide*. Hamburg, Germany: Signum. 46 pp. ISBN: 978-3-927731-01-1.

Schmaling, Constanze and Thomas Hanke (2001). "Encoding manual aspects of sign language: HamNoSys 4.0". In: *ViSiCAST Deliverable D5-1: Interface Definitions*. Ed. by Thomas Hanke, pp. 26–41. URL: https://vhg.cmp.uea.ac.uk/tech/hamnosys/ViSiCASTD5-1.pdf.

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

31

32

Change History