



UNIVERSITY  
OF BRESCIA

# Presentation Title

---

## Presentation Subtitle

Author's Name

# Outline for Section 1

## 1. Light Frames

- 1.1 Blind Text
- 1.2 Structuring Elements
- 1.3 Numerals and Mathematics
- 1.4 Figures and Code Listings
- 1.5 Citations and Bibliography

## 2. Dark Frames

- 2.1 Blind Text
- 2.2 Structuring Elements
- 2.3 Numerals and Mathematics
- 2.4 Figures and Code Listings
- 2.5 Citations and Bibliography

# Jabberwocky

*Lewis Carroll*

'Twas brillig, and the slithy toves  
Did gyre and gimble in the wabe;  
All mimsy were the borogoves,  
And the mome raths outgrabe.

“Beware the Jabberwock, my son!  
The jaws that bite, the claws that catch!  
Beware the Jubjub bird, and shun  
The frumious Bandersnatch!”



## Lists and locales

*Lorem ipsum dolor sit amet*

- Nulla nec lacinia odio.  
Curabitur urna tellus.
  - Fusce id sodales dolor. Sed  
id metus dui.
    - » Cupio virtus licet mi vel  
feugiat.
- 1. Donec porta, risus porttitor  
egestas scelerisque video.
  - 1.1 Nunc non ante fringilla,  
manus potentis cario.
    - 1.1.1 Pellentesque servus  
morbi tristique.

Fúgge tra sélve spaventóse e scure, per lóchi inabitáti, érmi e selvaggi.  
che di cerri sentia, d'olmi e di faggi, fatto le avea con subite paure  
trovar di qua di là strani viaggi... The quick, brown fox jumps over the  
lazy dog.

## Text blocks

*In plain, example, and **alert** flavour*

**This text** is highlighted.

A plain block

This is a plain block containing some **highlighted text**.

An example block

This is an example block containing some **highlighted text**.

An alert block

This is an alert block containing some **highlighted text**.

# Definitions, theorems, and proofs

*All integers divide zero*

## Definition

$$\forall a, b \in \mathbb{Z} : a \mid b \iff \exists c \in \mathbb{Z} : a \cdot c = b$$

## Theorem

$$\forall a \in \mathbb{Z} : a \mid 0$$

## Proof

$$\forall a \in \mathbb{Z} : a \cdot 0 = 0$$



# Numerals and Mathematics

Formulae, equations, and expressions

1234567890 1234567890  $\hat{x}, \check{x}, \tilde{a}, \bar{a}, \dot{y}, \ddot{y} \iiint f(x, y, z) dx dy dz$

$$\frac{1}{1 + \frac{1}{2 + \frac{1}{3+x}}} + \frac{1}{1 + \frac{1}{2 + \frac{1}{3+x}}} \quad F : \begin{vmatrix} F''_{xx} & F''_{xy} & F'_x \\ F''_{yx} & F''_{yy} & F'_y \\ F'_x & F'_y & 0 \end{vmatrix} = 0$$

$$\iint_{x \in \mathbb{R}^2} \langle x, y \rangle dx \quad \overline{\overline{\overline{a\alpha^2 + b\beta + d\delta}}} \quad ]0, 1[ + [x] - \langle x, y \rangle$$

$$e^x \approx 1 + x + x^2/2! + x^3/3! + x^4/4! \quad \binom{n+1}{k} = \binom{n}{k} + \binom{n}{k-1}$$

## Figures

*Tables, graphs, and images*

Faculty	With T <sub>E</sub> X	Total	%
Faculty of Informatics	1 716	2 904	59.09
Faculty of Science	786	5 275	14.90
Faculty of Economics and Administration	64	4 591	1.39
Faculty of Arts	69	10 000	0.69
Faculty of Medicine	8	2 014	0.40
Faculty of Law	15	4 824	0.31
Faculty of Education	19	8 219	0.23
Faculty of Social Studies	12	5 599	0.21
Faculty of Sports Studies	3	2 062	0.15

Table: The distribution of theses written using T<sub>E</sub>X during 2010–15 at MU



## Figures

*Tables, graphs, and images*




Figure: Tree of probabilities – Flipping a coin<sup>1</sup>

---

<sup>1</sup>A derivative of a diagram from [texample.net](http://texample.net) by cis, CC BY 2.5 licensed

## Code listings

*An example source code in C*

```
#include <stdio.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/wait.h>

// This is a comment
int main(int argc, char **argv)
{
    while (--c > 1 && !fork());
    sleep(c = atoi(v[c]));
    printf("%d\n", c);
    wait(0);
    return 0;
}
```

## Citations

*T<sub>E</sub>X*, *ΛT<sub>E</sub>X*, and Beamer

T<sub>E</sub>X is a programming language for the typesetting of documents. It was created by Donald Erwin Knuth in the late 1970s and it is documented in *The T<sub>E</sub>Xbook* [1].

In the early 1980s, Leslie Lamport created the initial version of ΛT<sub>E</sub>X, a high-level language on top of T<sub>E</sub>X, which is documented in *ΛT<sub>E</sub>X: A Document Preparation System* [2]. There exists a healthy ecosystem of packages that extend the base functionality of ΛT<sub>E</sub>X; *The ΛT<sub>E</sub>X Companion* [3] acts as a guide through the ecosystem.

In 2003, Till Tantau created the initial version of Beamer, a ΛT<sub>E</sub>X package for the creation of presentations. Beamer is documented in the *User's Guide to the Beamer Class* [4].

## Bibliography

*T<sub>E</sub>X*, *ΛT<sub>E</sub>X*, and Beamer

- [1] Donald E. Knuth. *The T<sub>E</sub>Xbook*. Addison-Wesley, 1984.
- [2] Leslie Lamport. *ΛT<sub>E</sub>X: A Document Preparation System*. Addison-Wesley, 1986.
- [3] M. Goossens, F. Mittelbach, and A. Samarin. *The ΛT<sub>E</sub>X Companion*. Addison-Wesley, 1994.
- [4] Till Tantau. *User's Guide to the Beamer Class Version 3.01*. Available at <http://latex-beamer.sourceforge.net>.
- [5] A. Mertz and W. Slough. Edited by B. Beeton and K. Berry. *Beamer by example* In TUGboat, Vol. 26, No. 1., pp. 68-73.

# Outline for Section 2

## 1. Light Frames

- 1.1 Blind Text
- 1.2 Structuring Elements
- 1.3 Numerals and Mathematics
- 1.4 Figures and Code Listings
- 1.5 Citations and Bibliography

## 2. Dark Frames

- 2.1 Blind Text
- 2.2 Structuring Elements
- 2.3 Numerals and Mathematics
- 2.4 Figures and Code Listings
- 2.5 Citations and Bibliography

# Jabberwocky

*Lewis Carroll*

'Twas brillig, and the slithy toves  
Did gyre and gimble in the wabe;  
All mimsy were the borogoves,  
And the mome raths outgrabe.

“Beware the Jabberwock, my son!  
The jaws that bite, the claws that catch!  
Beware the Jubjub bird, and shun  
The frumious Bandersnatch!”



# Lists and locales

*Lorem ipsum dolor sit amet*

- Nulla nec lacinia odio.  
Curabitur urna tellus.
  - Fusce id sodales dolor. Sed  
id metus dui.
    - » Cupio virtus licet mi vel  
feugiat.
- 1. Donec porta, risus porttitor  
egestas scelerisque video.
  - 1.1 Nunc non ante fringilla,  
manus potentis cario.
    - 1.1.1 Pellentesque servus  
morbi tristique.

Fúgge tra sélve spaventóse e scure, per lóchi inabitáti, érmi e selvaggi.  
che di cerri sentia, d'olmi e di faggi, fatto le avea con subite paure  
trovar di qua di là strani viaggi... The quick, brown fox jumps over the  
lazy dog.

## Text blocks

*In plain, example, and **alert** flavour*

**This text** is highlighted.

A plain block

This is a plain block containing some **highlighted text**.

An example block

This is an example block containing some **highlighted text**.

An alert block

This is an alert block containing some **highlighted text**.



# Definitions, theorems, and proofs

*All integers divide zero*

## Definition

$$\forall a, b \in \mathbb{Z} : a \mid b \iff \exists c \in \mathbb{Z} : a \cdot c = b$$

## Theorem

$$\forall a \in \mathbb{Z} : a \mid 0$$

## Proof

$$\forall a \in \mathbb{Z} : a \cdot 0 = 0$$



# Numerals and Mathematics

Formulae, equations, and expressions

1234567890 1234567890  $\hat{x}, \check{x}, \tilde{a}, \bar{a}, \dot{y}, \ddot{y} \iiint f(x, y, z) dx dy dz$

$$\frac{1}{1 + \frac{1}{2 + \frac{1}{3+x}}} + \frac{1}{1 + \frac{1}{2 + \frac{1}{3+x}}} \quad F : \begin{vmatrix} F''_{xx} & F''_{xy} & F'_x \\ F''_{yx} & F''_{yy} & F'_y \\ F'_x & F'_y & 0 \end{vmatrix} = 0$$

$$\iint_{x \in \mathbb{R}^2} \langle x, y \rangle dx \quad \overline{\overline{\overline{a\alpha^2 + b\beta + d\delta}}} \quad ]0, 1[ + \lceil x \rceil - \langle x, y \rangle$$

$$e^x \approx 1 + x + x^2/2! + x^3/3! + x^4/4! \quad \binom{n+1}{k} = \binom{n}{k} + \binom{n}{k-1}$$

# Figures

*Tables, graphs, and images*

Faculty	With T <sub>E</sub> X	Total	%
Faculty of Informatics	1 716	2 904	59.09
Faculty of Science	786	5 275	14.90
Faculty of Economics and Administration	64	4 591	1.39
Faculty of Arts	69	10 000	0.69
Faculty of Medicine	8	2 014	0.40
Faculty of Law	15	4 824	0.31
Faculty of Education	19	8 219	0.23
Faculty of Social Studies	12	5 599	0.21
Faculty of Sports Studies	3	2 062	0.15

Table: The distribution of theses written using T<sub>E</sub>X during 2010–15 at MU

# Figures

*Tables, graphs, and images*




Figure: Tree of probabilities – Flipping a coin<sup>1</sup>

<sup>1</sup>A derivative of a diagram from [texample.net](http://texample.net) by cis, CC BY 2.5 licensed

# Code listings

## *An example source code in C*

```
#include <stdio.h>
#include <unistd.h>
#include <sys/types.h>
#include <sys/wait.h>

// This is a comment
int main(int argc, char **argv)
{
    while (--c > 1 && !fork());
    sleep(c = atoi(v[c]));
    printf("%d\n", c);
    wait(0);
    return 0;
}
```

# Citations

## $T_{\text{E}}\text{X}$ , $\LaTeX$ , and Beamer

$T_{\text{E}}\text{X}$  is a programming language for the typesetting of documents. It was created by Donald Erwin Knuth in the late 1970s and it is documented in *The  $T_{\text{E}}\text{X}$ book* [1].

In the early 1980s, Leslie Lamport created the initial version of  $\LaTeX$ , a high-level language on top of  $T_{\text{E}}\text{X}$ , which is documented in  *$\LaTeX$ : A Document Preparation System* [2]. There exists a healthy ecosystem of packages that extend the base functionality of  $\LaTeX$ ; *The  $\LaTeX$  Companion* [3] acts as a guide through the ecosystem.

In 2003, Till Tantau created the initial version of Beamer, a  $\LaTeX$  package for the creation of presentations. Beamer is documented in the *User's Guide to the Beamer Class* [4].

# Bibliography

## *T<sub>E</sub>X*, *ΛT<sub>E</sub>X*, and Beamer

- [1] Donald E. Knuth. *The T<sub>E</sub>Xbook*. Addison-Wesley, 1984.
- [2] Leslie Lamport. *ΛT<sub>E</sub>X: A Document Preparation System*. Addison-Wesley, 1986.
- [3] M. Goossens, F. Mittelbach, and A. Samarin. *The ΛT<sub>E</sub>X Companion*. Addison-Wesley, 1994.
- [4] Till Tantau. *User's Guide to the Beamer Class Version 3.01*. Available at <http://latex-beamer.sourceforge.net>.
- [5] A. Mertz and W. Slough. Edited by B. Beeton and K. Berry. *Beamer by example* In TUGboat, Vol. 26, No. 1., pp. 68-73.